

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	57	adjust\$3 with delay with (LSI or (integrated near2 circuit)) with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 07:21
L4	50	L3 and (@pd<="20030331" OR @ad<="20030331" OR @rlad<="20030331" OR @prad<="20030331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 07:21
L5	1	L4 and (average near3 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 07:21
L6	0	L4 and (average near3 clock near3 skew)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 07:22
L7	5410	(average near2 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:44
L8	3851	7 and blocks	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:44
L9	1251	8 and (lsi or ic or (integrated near2 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:46
L10	243	9 and (delay\$3 near2 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:46

EAST Search History

L11	20	10 and (voltage with select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:47
L12	11	11 and (@pd<="20030331" OR @ad<="20030331" OR @rlad<="20030331" OR @prad<="20030331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:48
L13	2	"5087829".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 10:15
L14	129	("4789996" "4847870").PN. OR ("5087829").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/07 10:15
L15	5	14 and (average near2 delay)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/07 10:21
L16	1	"5912591".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/07 10:22
L17	5	("5912591").URPN.	USPAT	ADJ	ON	2008/02/07 10:23
S1	5669	tim\$3 near2 adjust\$4 near2 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:42
S2	7503	tim\$3 near2 adjust\$4 near2 (device or apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:54
S3	0	S2 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 volatge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:20

EAST Search History

S5	1983	tim\$3 adjust\$4 with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:57
S6	121	S5 and (volt\$3 select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:58
S7	45	S6 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:18
S8	2	S7 and delay adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:59
S10	76	S6 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:19
S11	693	delay near3 tim\$3 near2 adjust\$4 near2 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:42
S17	7	S2 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:53
S18	1	S11 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:47

EAST Search History

S19	107	S2 and ((multiple or plurality or multiple or multi) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:55
S20	1573	((integrated circuit) or ic) and delay time and tim\$3 adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:56
S21	826	S20 and (delay\$3 near3 tim\$3 near3 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:57
S22	72	S21 and ((plurality or multiple or multi) near4 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:58
S23	31	S22 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:24
S24	2	delay with adjustment with transistor with threshold with (change or (increase or decrease)) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:27
S25	232	delay with transistor with threshold with (change or (increase or decrease)) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:28
S26	1	S23 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:29

EAST Search History

S27	1	S11 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:29
S28	2	S1 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:30
S29	3	S2 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:41
S30	7	S25 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:44
S31	2	"6192092".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:46
S32	1	clock skew\$3 compensator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:46
S33	118	clock skew\$3 compensat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:46
S34	3	S33 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:08

EAST Search History

S35	7121	375/354-360.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:19
S36	705	S35 and (delay with adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:19
S37	705	S35 and ((delay with adjust\$4) or (clock iwth compensat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:20
S39	48	S37 and ((plurality or multiple or multi) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:36
S40	3	S39 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:22
S41	45	S39 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:55
S44	2	S41 and Isi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:58
S45	0	10/811361	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:05

EAST Search History

S46	1	10/875689	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:06
S47	1	10/875690	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:09
S48	1	10/875715	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:17
S49	3282	327/141,144,146,149,153,155,161. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:19
S51	25	S49 and (transistor with threshold with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:36
S52	4	S51 and ((pluralit\$3 or multi or multiple) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:22
S53	21	S51 not S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:36
S54	2	"6192092".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:21

EAST Search History

S55	4069	(generat\$3 with voltage\$1 with (plurality or multiple or multi)) same adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:23
S56	790	S55 and (tim\$3 near3 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:23
S57	169	S55 and ((tim\$3 near3 adjust\$4) with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:24
S58	52	S57 and (volt\$3 near3 select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:34
S59	10	S58 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:29
S60	3	"6603340".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:29
S61	11	("5130582" "5175512" "5412349" "5453709" "5559476" "5880579" "5889439" "6060930" "6262616").PN. OR ("6603340").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:34
S62	4	S61 and (delay with adjust\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:37
S63	9	S61 and (delay)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:34
S64	5	S63 not S62	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:40

EAST Search History

S65	18371	delay with control\$4 with voltage	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:40
S66	819	S65 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:41
S67	428	S66 and integrated circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:42
S68	267	S67 and (voltage with generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:42
S69	110	S68 and (select\$3 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:43
S70	5519	327/158,146,149,153,155,161,192, 206,207,210,214,224,147,156,157". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:22
S71	412	S70 and (delay with adjust\$4 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
S72	66	S71 and ((plurality or multi or multiple) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:24
S73	39	S72 and (voltage with select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:06

EAST Search History

S74	87	delay with adjust\$3 with transistor with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:07
S75	81	delay with adjust\$3 with transistor with threshold with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:58
S76	3552	375/354.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
S77	21	S76 and (delay with adjust\$4 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
S78	700681	integrated circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:58
S79	2195	S78 and delay adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:59
S80	150	S79 and ((average or mean) near4 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:48
S81	58	(transistor near3 well) with delay with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:49

EAST Search History

S82	1	(transistor near3 well) with delay with voltage with apply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:49
S83	17	S81 and (delay near3 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:50
S84	2	"5251172".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:18
S85	1	S84 and well	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:19
S86	1	S85 and (delay with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:20
S87	13	transistor with (well near3 bias) with voltage with delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 13:20
S88	1	"5912591".pn. and (bias same delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 13:22
S89	1	"5912591".pn. and (bias with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 14:09

EAST Search History

S90	1	10/809374	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 14:09
S91	922	adjust\$3 with delay with (LSI or (integrated near2 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:22
S92	57	adjust\$3 with delay with (LSI or (integrated near2 circuit)) with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:23
S93	50	S92 and (@pd<="20030331" OR @ad<="20030331" OR @rlad<="20030331" OR @prad<="20030331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:35
S94	1	S93 and (well near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:35
S95	10	("5982214" "6081148" "6092211" "6194937" "6204713" "6278310" "6310506").PN. OR ("6593792").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 08:35
S96	1	10/809374 and (delay near2 adjustment near2 section)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 12:08
S97	1	"5353341".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 12:27
S98	46201	fh or (frequency near2 hop\$4)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 12:28
S99	709	S98 and (signal near2 strength near2 indicator)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 12:28
S100	22	S99 and (hop\$4 with detect\$3 with (interference or (signal near2 energy)))	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 12:29